

| | L # | Hits | Search Text | DBs |
|-----------|------------|-------------|---|---|
| 1 | L1 | 53 | 709/223.ccls. and xml and (@ad<20000621 or @prad<20000621) | USPAT; US-PGPUB; EPO; JPO; IBM_TDB |
| 2 | L2 | 29 | 709/223.ccls. and xml and (@ad<20000621 or @prad<20000621) and (router or bridge or switch) | USPAT; US-PGPUB; EPO; JPO; IBM_TDB |
| 3 | L3 | 268 | dtd and xml and (monitor\$3 or manag\$5) with (router or bridge or forward\$3 or switch or hub or gateway or multiplexor) | USPAT; US-PGPUB; EPO; JPO; IBM_TDB |
| 4 | L4 | 53 | 3 and (@ad<20000621 or @prad<20000621) | USPAT; US-PGPUB; EPO; JPO; IBM_TDB |
| 5 | L5 | 56 | dtd and xml and (monitor\$3 or manag\$5) with (router or bridge or forward\$3 or switch or hub or gateway or multiplexor) | USPAT; EPO; JPO; IBM_TDB |
| 6 | L6 | 2 | dtd and xml and (monitor\$3 or manag\$5) with (router or bridge or forward\$3 or switch or hub or gateway or multiplexor) .ti,ab. | USPAT; EPO; JPO; IBM_TDB |
| 7 | L7 | 103 | xml near6 (manag\$5 or control\$4 or access\$3 or monitor\$3) with (router or switch or bridge or gateway or server or client or device) | USPAT; EPO; JPO; IBM_TDB |
| 8 | L8 | 27 | 7 and dtd | USPAT; EPO; JPO; IBM_TDB |
| 9 | L9 | 614 | ((monitor\$3 or manag\$5) with (router or routing) with (network or remote\$2)).ti,ab. | USPAT; EPO; JPO; IBM_TDB |
| 10 | L10 | 451 | 9 and (@ad<20000621 or @prad<20000621) | USPAT; US-PGPUB; EPO; JPO; IBM_TDB |
| 11 | L11 | 162 | ((monitor\$3 or manag\$5) near3 (router or routing) near7 (network or remote\$2)).ti,ab. | USPAT; EPO; JPO; IBM_TDB |

| | L # | Hits | Search Text | DBs |
|-----------|------------|-------------|--|---|
| 12 | L12 | 125 | 11 and (@ad<20000621 or @prad<20000621) | USPAT; US-PGPUB; EPO; JPO; IBM_TDB |
| 13 | L13 | 113 | snmp with xml | USPAT; US-PGPUB; EPO; JPO; IBM_TDB |
| 14 | L14 | 16 | 13 and (@ad<20000621 or @prad<20000621) | USPAT; US-PGPUB; EPO; JPO; IBM_TDB |
| 15 | L15 | 126 | xml with router | USPAT; US-PGPUB; EPO; JPO; IBM_TDB |
| 16 | L16 | 10 | 15 and (@ad<20000621 or @prad<20000621) | USPAT; US-PGPUB; EPO; JPO; IBM_TDB |
| 17 | L17 | 1 | 6546419.pn. and xml | USPAT; US-PGPUB; EPO; JPO; IBM_TDB |
| 18 | L18 | 1770 | ((manag\$5 or control\$4 or access\$3 or monitor\$3) with (router or routing) with (remote\$3 or network)).ti,ab. | USPAT; EPO; JPO; IBM_TDB |
| 19 | L19 | 410 | ((manag\$5 or control\$4 or access\$3 or monitor\$3) near3 (router or routing) near3 (remote\$3 or network)).ti,ab. | USPAT; EPO; JPO; IBM_TDB |
| 20 | L20 | 327 | 19 and (@ad<20000621 or @prad<20000621) | USPAT; US-PGPUB; EPO; JPO; IBM_TDB |
| 21 | L21 | 327 | 19 and (@ad<20000621 or @prad<20000621) | USPAT; EPO; JPO; IBM_TDB |
| 22 | L22 | 174 | ((manag\$5 or control\$4 or access\$3 or monitor\$3) adj2 (router or routing) near3 (remote\$3 or network)).ti,ab. | USPAT; EPO; JPO; IBM_TDB |
| 23 | L23 | 31 | ((manag\$5 or control\$4 or access\$3 or monitor\$3) adj2 (router or routing) near3 (remote\$3 or network)).ti. | USPAT; EPO; JPO; IBM_TDB |

| | L # | Hits | Search Text | DBs |
|-----------|------------|-------------|---|---|
| 24 | L24 | 25 | ("4817080" "5049873" "5109486" "5185860" "5204955" "5226120" "5229988" "5231593" "5237693" "5251205" "5295244" "5315580" "5319644" "5367635" "5375070" "5432907" "5434863" "5471399" "5471617" "5490252" "5500934" "5515376" "5546540" "5596719" "5963556").PN. | USPAT |
| 25 | L25 | 18 | ((manag\$5 or control\$4 or access\$3 or monitor\$3) adj2 (router or routing) near3 (remote\$3 or network or internet or client)) same snmp | USPAT; EPO; JPO; IBM_TDB |
| 26 | L26 | 16 | 25 and (@ad<20000621 or @prad<20000621) | USPAT; US-PGPUB; EPO; JPO; IBM_TDB |

BEST AVAILABLE COPY